# \* POLARIS\* BRUTUS








EVERY JOB IS DIFFERENT. EVERY DAY BRINGS A NEW SET OF CHALLENGES. AND, OF COURSE, MOTHER NATURE CAN BE UNFORGIVING. BUT NO MATTER WHAT THE TASK, REGARDLESS OF THE CONDITIONS, THERE IS A MACHINE THAT FLAT OUT GETS THE JOBS DONE. INTRODUCING POLARIS® BRUTUS®, THE MOST VERSATILE, MOST CAPABLE AND MOST COMFORTABLE SIDE x SIDE UTILITY VEHICLE EVER CREATED. LIKE NO UTILITY VEHICLE BEFORE IT, BRUTUS OFFERS THE ABILITY TO SWEEP, MOW, BLOW, LIFT, PLOW AND SCOOP — ALL WITH ONE MACHINE. COMBINED WITH THE SUPERIOR **DURABILITY AND PREMIUM RIDE THAT FIND THEIR WAY** INTO EVERY POLARIS VEHICLE, IT'S NOT JUST A JACK OF ALL TRADES, IT'S A MASTER OF THEM.



POLARIS® HAS SPENT ITS ENTIRE 60-YEAR HISTORY PERFECTING THE RIDE AND PERFORMANCE OF ITS MACHINES. WE'VE BUILT THE HARDEST WORKING AND ENGINEERED THE SMOOTHEST RIDING SIDE x SIDES IN HISTORY. NOW, BRUTUS® BUILDS ON THOSE TRADITIONS AND REDEFINES WHAT ONE SIDE x SIDE UTILITY VEHICLE CAN DO ON THE JOB SITE.

## MORE VERSATILE.



Power Take-Off (PTO)



Pro-Tach™ Attachment System

This is where BRUTUS goes from best-in-class to a class all its own. For the first time in a side x side utility vehicle, BRUTUS delivers full, front-end PTO capability. This revolutionary integrated system delivers power directly from the vehicle's engine to drive a complete line of purpose-built, out-front commercial attachments. The result is productivity never before seen in its class.

BRUTUS does the work of an entire fleet of machines, allowing you to sweep, mow, blow, lift, plow and scoop — all with one hard-working commercial utility vehicle. And with our Pro-Tach™ attachment system, you can change from one implement to the next quickly and easily, getting you on to the next job with less downtime. Combine the first-in-class front PTO system and integrated, hydraulically controlled attachments with an easy-to-assemble flush-mount cab system and Lock & Ride® accessories, and BRUTUS is ready for work. Any job. Anytime. Anywhere.





## MORE CAPABLE.

If there's one thing you can't compromise on, it's power. We took a powerful 24-horsepower diesel engine and combined it with a durable hydrostatic transmission, the ideal setup for commercial applications. Together, they deliver all the torque and power you need to move over tough terrain, haul more cargo and perform all the rigorous jobs that BRUTUS was designed to do. And with a proven suspension system that delivers a class-leading six inches of travel, you can safely and comfortably transport passengers and cargo over virtually any terrain.

Just as important as what's underneath this hard-working, multi-purpose vehicle is what you can pull behind it. With the strength to tow 2000 lb and a cargo box payload capacity of 1250 lb, you can move more in fewer trips and in less time.



24-Horsepower Diesel Engine



Multi-Link Coil Over De Dion Rear Suspension

## MORE COMFORTABLE.

When the workday lasts all day, the operator needs to do the same. BRUTUS offers cab ergonomics that deliver comfort and convenience to both the driver and passenger. An innovative treadle pedal allows travel in forward or reverse without shifting gears, further increasing productivity. Features like tilt steering coupled with a spacious cab offer easy entry and exit. Hinged seats easily flip up for quick access to under-seat storage. And an available flush-mount cab system and all-season climate control\* with heat, defrost and air conditioning keep the operator comfortable in virtually any weather condition.

\*Available in BRUTUS + Cab and BRUTUS HDPTO models only.



Treadle Pedal



All-Season Climate Control



Clear safe pathways for

pedestrians and motorists in a variety of settings: private residences, commercial lots, sidewalks.

#### **KEY FEATURES**

- Hydraulic Angling allows an operator to angle plow 30° left or right from inside the vehicle.
- Adjustable-Depth Skid Shoes prevent scraping by holding the current height of the blade, which can be set to clear obstructions like manhole covers or street cracks.
- Rolled Trip Blade lets material flow easily, creating less drag.

#### **SPECS**

Overall Width: 69" (1753 mm)

Fully Angled Width: 59.8" (1519 mm)

Blade Height: 20" (508 mm)



**PALLET FORKS** 

Move pallets, bulk materials, bagged items and more around the job site.

#### **KEY FEATURES**

- Floating-Tine Pallet Forks let an operator pick up pallets on uneven terrain.
- Adjustable Tine Width allows transport of various cargo types.
- Tapered Fork Tines make cargo lifting easier.

#### **SPECS**

Overall Width: 38" (965 mm)

**Overall Length:** 42.4" (1077 mm)

Weight Capability: 450 lb (204.1 kg)



#### **MATERIALS BUCKET**

Haul up to 500 lb of loose material, including mulch, seed, hay, soil or whatever your job demands.

#### **KEY FEATURES**

- Versatile Bucket may be used for loading loose material as well as scraping and other general-purpose tasks.
- Angle Indicator on Bucket allows operator to visually gauge angle of the cutting edge.
- Optional Markers (as shown) give operator clear visibility of bucket width.

- Overall Width: 62.2" (1580 mm)
- **Capacity:** 3.6 cu ft/4.7 cu ft (0.10 cu m/0.13 cu m) (struck/heaped)
- Weight Capability: 500 lb (226.8 kg)

**SPECS** 

# MOW

#### FINISHING MOWER

Ideal for any application where a finishing cut is needed on large, open lawns.

#### **KEY FEATURES**

- Wide Side Discharge Deflector safely and evenly disperses clippings for clean lawn appearance.
- Durable Anti-Scalp Wheels won't tear up turf, keeping lawns looking smooth.
- Float Mode allows mower to follow terrain and provide an even cut across the lawn.

#### **SPECS**

- Cutting Width: 66" (1676 mm)
- Cutting Height Range: 2.3"-5.3" (58 mm-135 mm)
- Blade Tip Speed: 18,400 fpm (5608.3 mpm)

## **SWEEP**



#### ANGLE BROOM

Clear slush, leaves, gravel and other debris from walkways, parking lots or any other paved surface.

#### **KEY FEATURES**

- Hydraulic Angling allows operator to angle broom 25° left or right from inside the cab.
- Chainless Drive eliminates frequent maintenance headaches, such as greasing the chain or making tension adjustments.
- Floating and Oscillating Broom Head follows surface terrain, ensuring a clean sweep even on sloping pavement.

#### **SPECS**

- Working Width (Straight): 70" (1778 mm)
- Working Width (Fully Angled): 65.5" (1664 mm)
- Bristle Speed (with 2000 RPM PTO): 1257 fpm (383.1 mpm)

## **BLOW**



For snow removal jobs that demand more than a snow

blade. Ideal for both private and commercial properties.

#### **KEY FEATURES**

- Bolt-On Reversible Cutting Edge provides long life and easy maintenance.
- Two-Stage Blower Design eats up snow while an impeller blows it up and out of the chute.
- Hydraulic Chute Rotator allows operator to easily adjust snow direction from inside the cab.

#### **SPECS**

- **Cutting Width:** 62" (1575 mm)
- Cutting Height (Blower on Ground): 21" (533 mm)
- Skid Shoes: 0.375" (10 mm) steel (adjustable/replaceable)

## **BRUTUS**

At its core, BRUTUS° outworks the competition. With a smoother ride and greater job site capabilities, this workhorse moves people more comfortably and cargo more securely than anything else in its class.



#### MULTI-LINK COIL OVER DE DION REAR SUSPENSION

As the first side x side utility vehicle to utilize this work-grade suspension, BRUTUS delivers a smooth ride far beyond what the competition can offer — both with and without a load. The suspension allows BRUTUS to handle more cargo or tongue weight without suspension sag and maintains ground clearance when towing.



#### DIESEL ENGINE WITH HYDROSTATIC TRANSMISSION

An isolation-mounted, fuel-efficient, diesel-powered engine and hydrostatic transmission combine to deliver low vibration, lower-speed torque and plenty of horsepower to get the jobs done.



#### TREADLE PEDAL

With many commercial applications demanding frequent back-and-forth motion, a treadle pedal significantly simplifies travel operation. Like nothing else in its category, BRUTUS allows you to travel in forward or reverse with a single pedal, without ever shifting gears or taking your hands off of the steering wheel.

#### SUPERIOR CARGO STORAGE

The pallet-sized rear cargo box carries up to 1250 lb and features multiple tie-down points to secure cargo and an exclusive Lock & Ride® cargo system that accommodates many hard-working accessories that go on and off in seconds. There's also plenty of room to stow your tools, gloves and other work site necessities in ample under-seat and in-dash storage.





#### **ONE-TON TOWING**

Move more cargo in less time with the ability to tow up to 2000 lb — far more than the competition.

#### ON-DEMAND TRUE ALL-WHEEL DRIVE

True AWD keeps you moving, automatically engaging all four wheels when you need more forward traction and reverting back to 2WD when you don't. When in 2WD, the VersaTrac Turf Mode switch allows you to unlock the rear differential for easier, tighter turns without tearing up the turf.





.

COMPETITION

#### SUPERIOR COMFORT AND ERGONOMICS

Cab ergonomics deliver outstanding driver and passenger comfort, including tilt steering for easy egress/ingress, extra legroom, and easy entry and exit design for three adults (base models only).

## **BRUTUS** + CAB

Rain, shine, sleet or snow, the jobs need to get done. With a fully-enclosed cab, in-dash heating and air conditioning, defrost, and all the hard-working features of our standard model, BRUTUS\* + Cab keeps you dry, comfortable and productive — regardless of the weather conditions.



#### DIESEL POWER WITH HYDROSTATIC TRANSMISSION

An isolation-mounted, fuel-efficient, diesel-powered engine and hydrostatic transmission combine to deliver low vibration, lower-speed torque and plenty of horsepower to get the jobs done.





### MULTI-LINK COIL OVER DE DION REAR SUSPENSION

As the first side x side utility vehicle to utilize this work-grade suspension, BRUTUS delivers a smooth ride far beyond what the competition can offer — both with and without a load. The suspension also allows BRUTUS to handle its 1250 lb cargo and 2000 lb towing capacities without suspension sag or sacrificed ride quality.



#### TREADLE PEDAL

With many work applications demanding frequent back-and-forth motion, a treadle pedal significantly simplifies operation. Like nothing else in its category, BRUTUS allows you to travel in forward or reverse with a single pedal, without ever shifting gears or taking your hands off of the steering wheel.

See all product features at POLARIS.COM/BRUTUS.

#### ALL-SEASON CLIMATE CONTROL

In-dash heating and AC systems and a fully enclosed, flush-mount cab complete with work-grade windshield wipers keep the operator working safely, comfortably and productively in a variety of weather conditions.





#### **ONE-TON TOWING**

Move more cargo in less time with the ability to tow up to 2000 lb — far more than the competition.

#### **ELECTRIC LIFT CARGO BED**

Dump cargo from the comfort of the driver's seat with a one-touch electric bed lift, helping you get jobs done even quicker.

#### SUPERIOR ERGONOMICS

Cab ergonomics deliver outstanding driver and passenger comfort, including tilt steering for easy egress/ingress, extra legroom, and easy entry and exit design for three adults (base models only).



## **BRUTUS** HD

HYDRAULICALLY CONTROLLED ATTACHMENT CAPABILITY

When the job demands even more, BRUTUS\* HD offers all the class-leading features found in the base model, plus a front, hydraulically controlled Pro-Tach™ attachment system that allows you to quickly and easily transform your utility vehicle into multiple unique work vehicles, each able to take on a specific set of tasks. The result is productivity unmatched by any competitor.



#### HYDRAULICALLY CONTROLLED ATTACHMENTS

BRUTUS HD takes productivity to the next level, coming ready to work with optional, hydraulically controlled front-end attachments that instantly transform one vehicle into multiple hard-working machines.





#### **ELECTRIC LIFT CARGO BED**

Dump cargo from the comfort of the driver's seat with a one-touch electric bed lift, helping you get jobs done even quicker.



#### **INTUITIVE CONTROLS**

Ergonomic controls at the operator's fingertips, such as an intuitive joystick and independent throttle control, make operation easy and consistent with other work machines.

See all product features at POLARIS.COM/BRUTUS.

#### PRO-TACH™ ATTACHMENT SYSTEM

This innovative attachment method allows quick and easy connection and disconnection of front-end implements, so you spend less time gearing up your vehicle and more time on the chore at hand.





#### PLOW. LIFT. SCOOP.

BRUTUS HD is compatible with these optional, hydraulically controlled attachments:

- Commercial-grade 69" snow blade
- Adjustable width pallet forks with 450 lb capacity
- Durable 62" materials bucket with 500 lb capacity
- Optional, dealer-installed PTO kit

#### **STANDARD BRUTUS FEATURES**

- Diesel engine with hydrostatic transmission
- On-Demand True All-Wheel Drive
- Multi-link coil over De Dion rear suspension
- Treadle pedal
- Unmatched towing and cargo capacity

## BRUTUS HDPTO

HYDRAULICALLY CONTROLLED, PTO ATTACHMENT CAPABILITY

When the job requires everything you have, it's nice to know that you have everything. The BRUTUS° HDPTO delivers all of the class-leading strength and features of the standard and HD models, but takes it to a whole new level with a PTO-powered, frontend attachment system — the first-ever in a commercial side x side utility vehicle. BRUTUS HDPTO quickly and easily transforms from one hard-working vehicle into an entire fleet of commercial machines, getting more done in less time and for less money.



#### PTO-POWERED FRONT-END ATTACHMENTS

In addition to compatibility with all BRUTUS HD attachments, BRUTUS HDPTO is the first in its class to offer front-end PTO capability. A mechanical, high-efficiency PTO delivers smooth performance directly from the engine to a versatile line of front-end attachments. One vehicle doing the work of six. That's ultimate productivity.





#### SWEEP. MOW. BLOW.

BRUTUS HDPTO delivers maximum versatility with a PTO system that drives three optional, front-end implements:

- 70" wide-angle broom for quick and easy clearance of paved surfaces
- Out-front finishing mower with a 66" deck width
- Two-stage snow blower with 62" width and auxiliary, in-cab snow shoot adjustment



#### INDEPENDENT HAND THROTTLE

An independent throttle controls the power of the attachment separately from ground speed, so you can blow snow, sweep or mow at full power regardless of how fast the vehicle is moving.

See all product features at POLARIS.COM/BRUTUS.

#### **ALL-SEASON CLIMATE CONTROL**

In-dash heat, defrost and air conditioning work in conjunction with a fully-enclosed, factory-installed cab complete with work-grade windshield wipers to keep the operator comfortable, and more productive, in a variety of weather conditions.







BRUTUS HDPTO is compatible with three optional, hydraulically controlled attachments:

- Commercial-grade 69" snow blade
- Adjustable width pallet forks with 450 lb capacity
- Durable 62" materials bucket with 500 lb capacity

#### STANDARD BRUTUS AND HD FEATURES

- Diesel engine with hydrostatic transmission
- On-Demand True All-Wheel Drive
- Multi-link coil over De Dion rear suspension
- Treadle pedal
- Unmatched towing and cargo capacity
- Electric lift cargo bed





## A CHA

POLARIS® BRUTUS® IS THE MOST VERSATILE, MOST CAPABLE AND MOST COMFORTABLE WORK UTV EVER CREATED — BAR NONE. TO PROVE IT, WE INVITED REAL, HARD-WORKING PROFESSIONALS TO TEST BRUTUS AGAINST OUR LEADING COMPETITORS TO SEE WHO REIGNS SUPREME IN CRITICAL JOBSITE APPLICATIONS.



JOB-FOR-JOB, BRUTUS® OUTPERFORMS THE COMPETITION.



POLARIS® BRUTUS®

**TOWING CAPACITY** 

PAYLOAD CAPACITY

**FUEL CAPACITY** 

**PASSENGER CAPACITY** 

4 2222 | 2/227 |

**2000 LB/907 KG** 

✓ 1750 LB/793 KG

/ 10 GAL/37.9 L

**,** 

# MPION HAS BEEN CROWNED.



KUBOTA® RTV™-X1120D	JOHN DEERE® GATOR® XUV 855D	KAWASAKI® MULE™ 4010 DIESEL
1300 LB/589 KG	1500 LB/680 KG	1200 LB/544 KG
1510 LB/684 KG	1400 LB/635 KG	1330 LB/603 KG
7.9 GAL/29 L	7 GAL/26.5 L	6.3 GAL/23.8 L
2	2	2
Kubota® and RTV™ are trademarks	lohn Deere® and Gator®	Kawasaki® and Mule™ are trademarks

are trademarks of Deere & Company

of Kubota Corporation and Kubota, Ltd.

## WHEN IT COMES TO VERSATILITY, BRUTUS HAS NO COMPETITION.



Treadle pedal that allows travel in forward or reverse with a single control.

Front-end PTO that drives an entire fleet of purpose-built attachments.













SEE THE WHOLE STORY OF HOW  $oldsymbol{\mathsf{BRUTUS}}$  DOMINATES THE COMPETITION AT  $oldsymbol{\mathsf{BRUTUSCHALLENGE.COM.}}$ 

of Kawasaki Heavy Industries, Ltd.

## **ACCESSORIES**

## PALARIS ENGINEERED PARTS ACCESSORIES & APPAREL

#### LOCK & RIDE® PRO-FIT™ CAB

Lock & Ride® PRO-FIT cabs set the standard in comfort and convenience. Full cab installation takes minutes. Windshields. roofs, rear panels and doors are pre-designed for the BRUTUS® and BRUTUS HD frame and lock on tightly for a secure cab system.

- Choose any combination of windshield, roof, rear panel and doors to best meet your needs and budget.
- Engineered and tested to ensure professional-grade performance.
- Dedicated cab component attachment points engineered into vehicle.
- Elimination of cab framework increases riders' field of vision.

#### ADDITIONAL CAB ACCESSORIES:



Audio System




Rearview Mirror

Dome Light



Windshield Wipers



Heater Kit



Horn Kit



#### **NEW 60 GALLON BOOMLESS UTILITY SPRAYER**

- 60-gallon corrosion-resistant polyethylene tank, 12-volt diaphragm pump, and pressure gauge for adjustable spray pressure
- Deliver fluids at a rate of up to 3.8 gpm with a 45 psi max across a full 30' spray coverage area
- Deluxe pistol grip hand-held sprayer with an adjustable nozzle and 25' hose



#### **LOCK & RIDE® CARGO BOX**

- Keep your tools safe and secure
- Oversized hinged lid for easy access to cargo
- BRUTUS bed holds up to four cargo boxes



#### **LOCK & RIDE® HEADACHE RACK** WITH TOOL HOLDERS

- Protects riders from the elements and shifting cargo
- Secures up to six hand tools
- Mesh construction allows airflow through cab

#### **ADDITIONAL VEHICLE ACCESSORIES:**



6000 lb Winch (base models only)



(base models only)



Rear Brushguard

For a complete line of BRUTUS accessories, go to POLARIS.COM/BRUTUS or contact your local dealer.





Front Brushguard

## **VEHICLE SPECIFICATIONS**



\*Specifications for BRUTUS + CAB







	BRUTUS	/ BRUTUS + CAB	BRUTUS HD	BRUTUS HDPTO
ENGINE	Engine Type Displacement Fuel System Cooling Horsepower (HP)	3-Cylinder Diesel 904cc Indirect Injection Liquid 24 HP	3-Cylinder Diesel 904cc Indirect Injection Liquid 24 HP	3-Cylinder Diesel 904cc Indirect Injection Liquid 24 HP
DRIVE TRAIN	Transmission/Final Drive Drive System Engine Braking System	Automatic Hydrostatic with Treadle Pedal (H/L/N/Park) On-Demand True AWD, 2WD, VersaTrac Turf Mode Hydrostatic EBS	Automatic Hydrostatic with Treadle Pedal (H/L/N/Park) On-Demand True AWD, 2WD, VersaTrac Turf Mode Hydrostatic EBS	Automatic Hydrostatic with Treadle Pedal (H/L/N/Park) On-Demand True AWD, 2WD, VersaTrac Turf Mode Hydrostatic EBS
SUSPENSION	Front Suspension Rear Suspension	Dual A-Arm 6" (152 mm) Travel Multi-Link Coil Over De Dion Suspension 6" (152 mm) Travel	Dual A-Arm 6" (152 mm) Travel Multi-Link Coil Over De Dion Suspension 6" (152 mm) Travel	Dual A-Arm 6" (152 mm) Travel Multi-Link Coil Over De Dion Suspension 6" (152 mm) Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
TIRES AND WHEELS	Front Tires Rear Tires Wheels	25 x 10-12; 489 25 x 11-12; 489 Stamped Steel	25 x 9·12; Carlisle All-Trail II 25 x 11·12; Carlisle All-Trail II Stamped Steel	25 x 9·12; Carlisle All-Trail II 25 x 11·12; Carlisle All-Trail II Stamped Steel
DIMENSIONS/CAPACITIES	Wheelbase Dry Weight Overall Vehicle Size (LxWxH) Ground Clearance Fuel Capacity Bed Box Dimensions (LxWxH) Rear Cargo Box Capacity Hitch Towing Rating	84" (2134 mm) 1643 lb (745.3 kg) 123.5" x 64" x 73" (3137 x 1626 x 1854 mm) / 123.5" x 64" x 74" (3137 x 1626 x 1880 mm)* 10" (254 mm) 10 gal (37.9 L) 43.5" x 54" x 11.5" (1105 x 1372 x 292 mm)  1250 lb (567 kg) 2000 lb (907.2 kg) Standard, 2" Receiver	84" (2134 mm) 1830 lb (830.1 kg) 140" x 64" x 73" (3556 x 1626 x 1854 mm)  10" (254 mm) 10 gal (37.9 L) 43.5" x 54" x 11.5" (1105 x 1372 x 292 mm)  1250 lb (567 kg) 2000 lb (907.2 kg) Standard, 2" Receiver	84" (2134 mm) 2148 lb (974.3 kg) 140" x 64" x 74" (3556 x 1626 x 1880 mm)  10" (254 mm) – Vehicle, 7" (178 mm) – PTO 10 gal (37.9 L) 43.5" x 54" x 11.5" (1105 x 1372 x 292 mm)  1250 lb (567 kg) 2000 lb (907.2 kg) Standard, 2" Receiver
FEATURES	Cab  Cargo System Lighting Power Steering Instrumentation  Electric Cargo Bed Lift PTO	Optional Lock & Ride® PRO·FIT™ Cab Enclosures / Standard, fully-enclosed cab with heat, defrost & A/C*  Lock & Ride® with Integrated Box Tie Downs  55W low, 60W high, LED Tail  Hydraulic Power Steering  Digital Gauge, Speedometer, Odometer, Tachometer, Trip Meter, Hour Meter, Gear Indicator, DC Outlet (2), Hi-Temp Light  Optional Dealer-Install Accessory / Standard*  N/A	Optional Lock & Ride® PRO-FIT™ Cab Enclosures  Lock & Ride® with Integrated Box Tie Downs  55W low, 60W high, LED Tail  Hydraulic Power Steering  Digital Gauge, Speedometer, Odometer, Tachometer, Trip Meter, Hour Meter, Gear Indicator, DC Outlet (2), Hi-Temp Light  Standard  Optional Dealer-Install Accessory	Standard, Fully Enclosed Cab with Heat, Defrost and A/C  Lock & Ride® with Integrated Box Tie Downs  55W low, 60W high, LED Tail  Hydraulic Power Steering  Digital Gauge, Speedometer, Odometer, Tachometer,  Trip Meter, Hour Meter, Gear Indicator, DC Outlet (2),  Hi-Temp Light  Standard
	Alternator	90 Amp	90 Amp	90 Amp



# \* POLARIS\* BRUTUS













For more about BRUTUS, or to find your local dealer, visit POLARIS.COM/BRUTUS.